DEKO

SINCE 1970

Peter Krogh
Managing Director

Dear all

Happy New Year!

It is our great pleasure that product series of DEKO Denmark have been used widely in China's key projects all over the country during the past 4 years, such as Shanghai EXPO, CCTV new building, the Canton Tower, Guangzhou International Financial Center and so on. I represent all staff of DEKO Denmark and DEKO China to appreciate your constant concern and support to our Chinese friends, it is our mutual efforts that result in our current dramatic achievements. DEKO Denmark has 40 years of experience. And China in Asia has gradually become our important market. In the future we will continuously provide more sophisticated product series and more considerable services, and meet Chinese clients' different requirements through designing of individual office solutions.

We appreciate you and your company's trust, and we will do our utmost to become the best collaborator in office environment optimization.

Best regards

Peter Krogh

DEKO DK

DEKO PARTITIONS LTD OF DENMARK

DEKO Partitions Ltd of Denmark was established in 1970. The headquarter is in Taastrup near Copenhagen, the capital of Denmark. In the past 40 years, DEKO has been renowned for its elegant design and high quality. Many international conglomerates used DEKO partition in their offices and factories all through Europe, Middle East, Africa and Asia. DEKO's serialization products constantly supply perfect office solutions according to individual demand.

DEKO HQ

DEKO HQ

DEKO HQ

1970 → 1980

- DEKO was founded in Denmark
- DEKO PV was launched
- DEKO PV obtained the LYD soundproof certificate
- Established distributors network in Africa

1981 → 1990

- Established offices in Aarhus and Kolding
- Established offices in Abu Dhabi, Lebanon and Baghdad
- Established subsidiary company in Germany
- DEKO PF partition system was launched
- Established network of distributors in Eastern Europe and Russia



1991 → 2000

- DEKO developed own aluminium door frames
- DEKO obtained the environmental certificate for partition as the first producer in the world
- DEKO introduced Horizontal® partition system
- DEKO doors and glazed sections obtained approvals of fire resistance
- Subsidiary company was established in Scotland

2001 → 2010

- First partition producer to obtain ETA approval in the world
- DEKO FG was launched
- Established DEKO KS and DEKO SH
- DEKO's technical details were selected into drawing collection of CBS
- DEKO finished more than one thousand projects in 76 cities among 29 provinces in China

BMW

DEKO PV

The flexibility of partition are essential in contemporary buildings. Due to its perfect combination of classical appearance and practical function, DEKO PV suits to all types of buildings. There won’t be any problems if DEKO PV match with other types of DEKO partitions. Alterations can be completed with little disruption to surrounding finishes.

Microsoft

Type description：

Summary：Interior solid partition used as non-load bearing walls

Inside Structure：Connected by steel profiles which are hot galvanized

Outer Profile：Assembled by high precision aluminium profiles

Panel Assembly：12mm decorated gypsum boards

Panel Connection：Four sides are fastened into the aluminium components

Cavity Filling：50mm mineral wool or similar products

Standard Colors：Anodized aluminium, white, dark grey. Other colors can be supplied if required



2 ways IT

Data description：

Thickness：100mm、120mm、140mm、180mm、210mm

Height：　3000mm (without transom) Above 3000mm (with transom)

Module width：1200mm (without transom) 3000mm (with transom)

Single Door Leaf：825mm X 2040mm,other sizes can be supplied if required

Double Door Leaf：861mm X 2040mm X 2,other sizes can be supplied if required

Sport Direct

Technical description：

Flammability Rating：A

Duration of Fire Resistance：EI30、EI60、EI90、EI120

Sound Reduction：44dB、52dB、58dB、61dB、66dB

Impact Resistance Tests：400Nm、500Nm

Environment Certificate：10 DAYS

Arkena


VELFAC









Arbejdstilsynet

Fiberline

DEKO GV

Daylight has a considerable effect on general well-being and job satisfaction. DEKO GV is a perfect product when effective sound reduction is required while maintaining a light and elegant interior environment. There won’t be any problems if DEKO GV match to other types of DEKO partitions. Alterations can be completed with little disruption to surrounding finishes.

Widex

Type description：

Summary：Double-glazed demountable interior non-load bearing walls
Inside Structure：Connected by steel profiles which are hot galvanized
Outer Profile：Assembled by high precision aluminium profiles
Panel Assembly：6,8mm safety glass or varied kinds of glass
Panel Connection：Four sides are fastened into the aluminium components
Transparent cavity：25,50mm width manual of autonomic blinds (optional sets)
Standard Colors：Anodized aluminium, white, dark grey. Other colors can be supplied if required

Bearing Point Copenhagen

Data description：

Thickness：100mm、120mm、140mm
Height：　3000mm(without transom) Above 3000mm (with transom)
Module width：1200mm(without transom) 3000mm (with transom)
Single Door Leaf：825mm X 2040mm, other sizes can be supplied if required
Double Door Leaf：861mm X 2040mm X 2, other sizes can be supplied if required

Green Lighthouse

Technical description：

Flammability Rating：A
Duration of Fire Resistance：0、E30、EI60
Sound Reduction：44dB、52dB
Impact Resistance Tests ：400Nm、500Nm
Environment Certificate：10 DAYS

PBS Finans

SD&C Beijing









Mitsubishi Beijing

Widex

DEKO PF

DEKO PF is a profile free system partition which is constructed in the same way as DEKO PV with the slim aluminium profiles being replaced with a discrete pencil line or level edge joint. This gives the partition an elegant and detailed appearance. Alterations can be completed with little disruption to surrounding finishes.

Region Midtjylland

Type description：

Summary：Interior solid partition used as non-load bearing walls
Inside Structure：Connected by steel profiles which are hot galvanized
Outer Profile：Assembled by high precision aluminium profiles
Panel Assembly：12mm or other thickness decorated composite board (supply optional colors)
Panel Connection：Inner structure is fastened by steel clips, and it is profile-free on panel surface
Cavity Filling：50mm mineral wool or similar products
Standard Colors：Anodized aluminium, white, dark grey. Other colors can be supplied if required

Data description：

Thickness：100mm、120mm、140mm
Height：　3000mm (without cross bar) Above 3000mm (with cross bar)
Module width：1200mm (without cross bar) 3000mm (with cross bar)
Single Door Leaf：825mm X 2040mm, other sizes can be supplied if required
Double Door Leaf：861mm X 2040mm X 2, other sizes can be supplied if require

Technical description：

Flammability Rating：A
Duration of Fire Resistance：E30、EI60、EI90
Sound Reduction：44dB、51dB、58dB
Impact Resistance Tests：400Nm、500Nm
Environment Certificate：10 DAYS


D 721


D 718


D 727











ABB

Dubai Metro

DEKO FG

Interior trends have developed in recent years to large, open environment with optimal use of natural light. The flexibility and adaptability of DEKO FG may meet individual requirements of height, module size, privacy etc. Areas formed with DEKO FG partition create a light, spacious, and attractive environment. There won’t be any problems if DEKO FG match to other types of DEKO partitions. Alterations can be completed with little disruption to surrounding finishes.

Widex

Type description：

Summary：Fully glazed partition

General Structure：Refined aluminium profile

Panel Assembly：10,12,15 mm safety glass and varied kinds of glass

Standard Colors：Anodized, white, dark grey. Other colors can be supplied if required

Patent and Varemaerkestyrrelsen

Data description：

Thickness：27mm、30mm、37mm、40mm、48mm

Height： 3000mm、4200mm、4500mm

Module width：900mm、1200mm、1500mm etc.

Standard Single Door： 825mm X 2040mm, other sizes can be supplied if required

Standard Double Door： 861mm X 2040mm X2, other sizes can be supplied if required

Europahuset

Technical description：

Flammability Rating：A

Duration of Fire Resistance：0、E30、EW30、EW60、EI60

Sound Reduction：36dB、40dB、42dB、43dB

Environment Certificate：10 DAYS

NNIT

SimCorp

Punktum Moebler

Arbejdstilsynet

DEKO DOORS

DEKO Doors are installed in a unique aluminium frame, which is known for its strength and stability. Door can be solid door, glazed door of fully glazed door, etc. Single or double door leafs are available in standard sizes. Non-standard sizes are available if required. For solid and glazed doors, DEKO offers several types of handles, lock boxes and hinges with color anodized.



Vodafone



Panum Institute

Dalum Landbrugsskole



International Certificates

Complete technical testing is most important to DEKO product series. DEKO products are constantly tested and developed in order to ensure that the product range complies with the latest national and international standards regarding sound reduction, fire resistance and indoor climate. We fulfil both national and international requirements and classifications.

Type	Certificate No.	Implement Standard	Scope of Application
General	ETA-03/002	ETAG003	PV、GV、PF
	ETA-10-0224		FG、FG FIRE
Fireproof	PC10003	ISO 834	PV、GV、PF
		EN13501-1	
		EN13501-2	
Soundproof	517	ISO 140	PV、GV、PF、FG
Strength	452-16	ISO 7892	PV、GV、PF
Environment	015、017	10 DAYS	PV、GV、PF、FG



ETA-Danmark A/S
Kollegievej 6
DK-2920 Charlottenlund
Tel. +45 45 76 20 20
Fax +45 45 76 33 20
Internet www.etadanmark.dk

Authorised and notified according to Article 10 of the Council Directive 89/106/EEC of 21 December 1988 on the approximation of laws, regulations and administrative provisions of Member States relating to construction products

MEMBER OF EOTA

European Technical Approval ETA-03/0002

This ETA is a renewal of the previous ETA with the same number and validity from 2006-09-25 to 2011-09-25

Trade name:	DEKO partition type 1090, 1290, 1090-PF and 1290-PF
Holder of approval:	DEKO loft+væg p/s Mårkærvej 11 DK-2630 Tåstrup Tel. +45 43 55 77 11 Fax +45 43 55 77 12
Generic type and use of construction product:	Relocatable non-loadbearing internal partition kit
Valid from: to:	2011-09-24 2016-09-24
Manufacturing plant:	DEKO loft+væg p/s Mårkærvej 11 DK-2630 Tåstrup
This European Technical Approval contains:	33 pages including 2 Annexes which form an integral part of the document

European Organisation for Technical Approvals
Europæisk Organisation for Tekniske Godkendelser

Double Series ETA Certificate

Double series mark CE

ETA-Danmark A/S
Kollegievej 6
DK-2920 Charlottenlund
Tel. +45 72 24 59 00
Fax +45 72 24 59 04
Internet www.etadanmark.dk

Authorised and notified according to Article 10 of the Council Directive 89/106/EEC of 21 December 1988 on the approximation of laws, regulations and administrative provisions of Member States relating to construction products

MEMBER OF EOTA

European Technical Approval ETA-10/0224

Trade name:	DEKO partition type FG and FG Fire
Holder of approval:	DEKO loft+væg pls Mårkærvej 11 DK-2630 Tåstrup Tel. +45 43 55 77 11 Fax +45 43 55 77 12
Generic type and use of construction product:	Glazed relocatable non-loadbearing internal partition kit
Valid from: to:	2010-09-06 2015-09-06
Manufacturing plant:	DEKO loft+væg pls Mårkærvej 11 DK-2630 Tåstrup
This European Technical Approval contains:	16 pages including 2 Annexes which form an integral part of the document

European Organisation for Technical Approvals
Europæisk Organisation for Tekniske Godkendelser

Single Series ETA Certificate

Signle series mark CE

Resistance to fire
Classification report

DEKO partition type 1090

Double Series Fire Resistance

Test report

BY og BYG

Double Series Impact Resistance

Danish Indoor Climate Labelling
Certificate no. 015

Double Series Environmental Protection

DANAK

Resistance to fire
Classification report

Non-loadbearing wall designated
DEKO glazed partition type FG

Single Series Fire Resistance

Testrapport

DANAK

Acoustics

Danish Indoor Climate Labelling
Certificate no. 017

Door Frame And Door Leave Environmental Protection

39







VOLVO

Automotive

Audi
Bentley
BMW
Citroen
Daimler-Chrysler
Ferrari
FIAT
Ford
Lamborghini
Porsche
Rolls Royce
Volkswagen
... ...

Munkegaards skolen

Retail

Amore Pacific
Cadbury
Coca Cola
Ecco
Essilor
Hermès
L'OREAL
Makro
Nestlé
P&G
Sarah Lee
Schwarzkopf
... ...

Finance

AWD
BNP Paribas
Citibank
Deutsche Bank
HSBC Bank
Lloyds TSB
Morgan Stanley
Nordea Bank
Royal Bank of Scotland
Saxo Bank
Sumitomo Insurance
Swedbank
... ...

Panum Institut

IT & Electronics

BearingPoint
Ericsson Telecom
Fujitsu Siemens
GE Electronic
HP Invent
Intel
Microsoft
Motorola
Panasonic
Philips
Vodafone
Yahoo
... ...

Culture & Media

BBC Radio Social Work Center
Belgacom
British Sky Broadcasting
British Telecom
Edinburgh University
Media Com
Norway Televerket
Postur og simi
Russia Telegraph
SK Telecom
University of Bremen
University of Iceland
... ...

GN Store Nord

Transportation

Air France
Airport of Male
BAA
China Airline
DHL Aviation
Dubai Metro
Iraq Airways
Kloten Flughafen
Norwegian Air Cargo
Royal Jordanian Airlines
Singapore Airlines
Spedition Gebruder Weiss
... ...

Manufacturing

ABB
BASF
BOSCH
Danfoss
EDS
GE Electronic
Philips
Samsung
Scania
SONY
Thyssenkrupp
UTC
... ...

Microsoft

Consulting & Service

Allen & Overy
Bearing Point
BIG
Bopro
Carl Bro
Deloitte
Flexplan
Frequentis
IDP Partnership
KPMG
Mott MacDonald
NNE Pharmaplan
... ...

HEAD OFFICE:
Maarkaervej 11-2630 Taastrup
Tel :+43 55 77 11
Fax:+43 55 77 13

Koholm4-6000kolding
Tel :+75 51 77 22
Fax:+75 51 77 50

E-mail:info@deko.dk-www.deko.dk

DEKO ASIA:
www.deko.cn
info@deko.cn

DEKO Shanghai:
www.dekocn.com
info@dekocn.com

Austria: Salzburg,Wien **Brunei:**Bandar Seri Begawan **China:**Shanghai,Beijing, Guangzhou,Nanjing,Xia'men,Hangzhou, Nanchang,Ji'nan, Shijiazhuang,Wuhan, Zhengzhou,Taiyuan,Chongqing,Shenyang, Ordos,Hong Kong,Taiwan **CzechRepublic:** Dejvice **Faroe Islands:**Tórshavn,Saltangara **Germany:**Isernhagen **Holland:**Tilburg **Hungary:**Budapest **Iceland:**Reykjavik **India:**Bangalore **Ireland:**Dublin **Korea:**Seoul **Kuwait:**Al Nuzha **Latvia:**Riga **Lithuania:**Kaunas **Mauritius:**Phoenix **Nigeria:**Lagos **Norway:**Oslo, Sandefjord,Ålesund,Kristiansand S,Bergen,Strømmen **Oman:**Muttrah **Poland:**Warszawa,Poznan **Qatar:**Doha **Rumania:**Bucuresti **Russia:**Moskva **Saudi Arabia:**Jeddah **Serbia:**Beograd **Slovenia:**Celje **Singapore:**Singapore **Sudan:**Khartoum **Switzerland:**Uster, Münchenbuchsee **Ukraine:**Kyiv **UAE:**Dubai **Scotland:**Cumbernauld **United Kingdom:**East Yorkshire

WWW.DEKO.COM